Author Index Volume 34 (1995)

Abdel-Azim AA see Attia IA
Abdel-Halim MS see Attia IA
Acuña JE see Cárdenas GT
Adamczak E see Wrzyszczynski A
Adem E see Fomine S
Alexandrova L see Likhatchev D
Altstädt V see Koster C
Álvarez R see Martínez R
Andrade CT see Lopes L
Andrade CT see Sena ME
Anton P, Laschewsky A, Ward MD: Solubilization control by redox-switching of polysoaps 331
Aoki T, Kobayashi H, Oikawa E: Poly(*p*-substituted phenylacetylene) with perfluoroalkyloxydimethylsilyl side groups for oxygen and ethanol permselective membrane 133
Attia IA, Abdel-Halim MS, Abdel-Azim AA: Synthesis and characterization of some novel unsaturated polyester resins containing amide groups 377
Azuma C, Dias ML, Mano EB: Size exclusion behavior of polymers in amide solvents. I. Elution characteristics of acrylonitrile polymers in *N,N*-dimethylformamide 585
Azuma C, Dias ML, Mano EB: Size exclusion behavior of polymers in amide solvents. II. Molecular weight determination of acrylonitrile polymers in *N,N*-dimethylformamide 593
Azuma C, Mothé CG, Stejko L, Visconte LLY: Photosensitive polyurethanes based on castor oil 663

Baloch MK: Influene of temperature on Newtonian viscosity of Nylon-12 469
Baños L see Marin M
Barbosa CCR see Rabelo D
Bello A see Benavente R
Benavente R, Pereña JM, Bello A, Pérez E: Influence of thermal history on the mechanical properties of thermotropic poly(triethylene glycol *p,p'*-bibenzoate 635
Bevington JC, Breuer SW, Huckerby TN, Jones R: Copolymerizations of various ring-fluorinated stilbenes with styrene 37
Blezer R, Lindhout T, Keszler B, Kennedy JP: Amphiphilic networks. VIII. Reduced in vitro thromboresistance of amphiphilic networks 101
Böhme F see Rillich M
Bonnans-Plaisance C, Rétif P, Levesque G: Functional polythiiranes. 4. Preparation and polymerization of poly(ethylene oxide) macromonomers 141
Borgés-Lopés E, Madec PJ, Maréchal E: Synthesis and characterization of new methyl-substituted azomethine-siloxane liquid crystal macrocycles. Influences of the methyl-substitution on the cycle formation 523
Bosc D see Boutevin B
Boutevin B, Granier-Azema D, Rousseau A, Bosc D, Guilbert M, Foll F: Behavior under UV irradiation of new polymers with photocrosslinkable and NLO groups prepared from chloromethylstyrene 309
Boutevin B, Khamlichi M, Pietrasanta Y, Robin JJ: Study of morphological and mechanical properties of PP/PBT blends 117
Breuer SW see Bevington JC
Brooker BE see Gunning AP
Burillo G see Marin M
Butler GB, Do CH, Zerner MC: A comparison of the PVCILO calculated stabilization energies of the DA complexes of *N*-phenylmaleimide and 4-phenyl-1,2,4-triazoline-3,5-dione with methyl vinyl ether 685

Canseco MA see Tlenkopatchev MA
Cantow HJ see Rudolf B
Cantwell WJ see Koster C
Carbacho HH see Cárdenas GT
Cárdenas GT, Acuña JE, Rodríguez MB, Carbacho HH: Metal polymers: Synthesis and molecular weights of metal poly(styrene-co-acrylonitrile). IX 31
Cavaillé JY see Trejo-O'Reilly JA
Cei G see Mathias LJ
Chang T see Kim K
Chang T see Kim Y
Chang YH see Yang SY
Chen WC, Jenekhe SA: The electrochemical properties of polyaniline derivatives: poly(4,4'-diphenylamine methylenes) and poly(4,4'-diphenylimine methines) 63
Chen WC see Yang SY
Chiantore O, Lazzari M, Guaita M: Oxidation and colour development in AES resins 353
Chiellini E see Serhatli IE
Chiellini E see Wang SH
Cho HN, Kim SH, Kim CY: Synthesis and characterization of poly(1,8-diethynylnaphthalene) 125
Chu HH, Gau JH: Characteristics of emulsion polymerization of cyclohexyl methacrylate 433
Costa MAS, Coutinho FMB: The role of hindered Lewis bases on the catalyst performance of $TiCl_3$ for propylene polymerization 555
Coutinho FMB see Costa MAS
Coutinho FMB see Rabelo D
Coutinho FMB see Santa Maria LC de
Coutinho FMB see Wang SH
Coviello T, Dentini M, Crescenzi V: Conformation and thermal stability of oxidized scleroglucan chains in aqueous NaOH 337
Crescenzi V see Coviello T

Author Index Volume 34 (1995)

Abdel-Azim AA see Attia IA
Abdel-Halim MS see Attia IA
Acuña JE see Cárdenas GT
Adamczak E see Wrzyszczynski A
Adem E see Fomine S
Alexandrova L see Likhatchev D
Altstädt V see Koster C
Álvarez R see Martínez R
Andrade CT see Lopes L
Andrade CT see Sena ME
Anton P, Laschewsky A, Ward MD: Solubilization control by redox-switching of polysoaps 331
Aoki T, Kobayashi H, Oikawa E: Poly(*p*-substituted phenylacetylene) with perfluoroalkyloxydimethylsilyl side groups for oxygen and ethanol permselective membrane 133
Attia IA, Abdel-Halim MS, Abdel-Azim AA: Synthesis and characterization of some novel unsaturated polyester resins containing amide groups 377
Azuma C, Dias ML, Mano EB: Size exclusion behavior of polymers in amide solvents. I. Elution characteristics of acrylonitrile polymers in *N,N*-dimethylformamide 585
Azuma C, Dias ML, Mano EB: Size exclusion behavior of polymers in amide solvents. II. Molecular weight determination of acrylonitrile polymers in *N,N*-dimethylformamide 593
Azuma C, Mothé CG, Stejko L, Visconte LLY: Photosensitive polyurethanes based on castor oil 663

Baloch MK: Influene of temperature on Newtonian viscosity of Nylon-12 469
Baños L see Marin M
Barbosa CCR see Rabelo D
Bello A see Benavente R
Benavente R, Pereña JM, Bello A, Pérez E: Influence of thermal history on the mechanical properties of thermotropic poly(triethylene glycol *p,p'*-bibenzoate 635
Bevington JC, Breuer SW, Huckerby TN, Jones R: Copolymerizations of various ring-fluorinated stilbenes with styrene 37
Blezer R, Lindhout T, Keszler B, Kennedy JP: Amphiphilic networks. VIII. Reduced in vitro thromboresistance of amphiphilic networks 101
Böhme F see Rillich M
Bonnans-Plaisance C, Rétif P, Levesque G: Functional polythiiranes. 4. Preparation and polymerization of poly(ethylene oxide) macromonomers 141
Borgés-Lopés E, Madec PJ, Maréchal E: Synthesis and characterization of new methyl-substituted azomethine-siloxane liquid crystal macrocycles. Influences of the methyl-substitution on the cycle formation 523
Bosc D see Boutevin B
Boutevin B, Granier-Azema D, Rousseau A, Bosc D, Guilbert M, Foll F: Behavior under UV irradiation of new polymers with photocrosslinkable and NLO groups prepared from chloromethylstyrene 309
Boutevin B, Khamlichi M, Pietrasanta Y, Robin JJ: Study of morphological and mechanical properties of PP/PBT blends 117
Breuer SW see Bevington JC
Brooker BE see Gunning AP
Burillo G see Marin M
Butler GB, Do CH, Zerner MC: A comparison of the PVCILO calculated stabilization energies of the DA complexes of *N*-phenylmaleimide and 4-phenyl-1,2,4-triazoline-3,5-dione with methyl vinyl ether 685

Canseco MA see Tlenkopatchev MA
Cantow HJ see Rudolf B
Cantwell WJ see Koster C
Carbacho HH see Cárdenas GT
Cárdenas GT, Acuña JE, Rodríguez MB, Carbacho HH: Metal polymers: Synthesis and molecular weights of metal poly(styrene-co-acrylonitrile). IX 31
Cavaillé JY see Trejo-O'Reilly JA
Cei G see Mathias LJ
Chang T see Kim K
Chang T see Kim Y
Chang YH see Yang SY
Chen WC, Jenekhe SA: The electrochemical properties of polyaniline derivatives: poly(4,4'-diphenylamine methylenes) and poly(4,4'-diphenylimine methines) 63
Chen WC see Yang SY
Chiantore O, Lazzari M, Guaita M: Oxidation and colour development in AES resins 353
Chiellini E see Serhatli IE
Chiellini E see Wang SH
Cho HN, Kim SH, Kim CY: Synthesis and characterization of poly(1,8-diethynylnaphthalene) 125
Chu HH, Gau JH: Characteristics of emulsion polymerization of cyclohexyl methacrylate 433
Costa MAS, Coutinho FMB: The role of hindered Lewis bases on the catalyst performance of $TiCl_3$ for propylene polymerization 555
Coutinho FMB see Costa MAS
Coutinho FMB see Rabelo D
Coutinho FMB see Santa Maria LC de
Coutinho FMB see Wang SH
Coviello T, Dentini M, Crescenzi V: Conformation and thermal stability of oxidized scleroglucan chains in aqueous NaOH 337
Crescenzi V see Coviello T

Demharter S, Richtering W, Mülhaupt R: Emulsion polymerization of styrene in the presence of carbohydrate-based amphiphiles 691
Dentini M see Coviello T
Dias ML see Azuma C
Dias ML see Santa Maria LC de
Djadoun S see Metref F
Do CH see Butler GB
Dong L, Hill DJT: An investigation of the microstructure of styrene-methacrylonitrile copolymers by FT-IR spectroscopy 323
Dorado AP, Piérola IF: Mobility of knots in polyethylacrylate networks. Fluorescence anisotropy measurements 605
Dvořánek L see Vlček P

Fasce DP, Williams RJJ: Polycondensation of bismaleimides with aromatic diamines 515
Földes E: Mobility of additives in ethylene polymers 93
Foll F see Boutevin B
Fomina L, Fomine S, Ogawa T: Studies on diacetylenic vinyl compounds. VII. Synthesis and polymerization of alka-3-5-dinylmethacrylates and 1,8-bis(methacryloxy)octa-3,5-diyne 547
Fomine S, Adem E, Ogawa T, Rao DVGLN: Third order nonlinear optical susceptibility of films of polydiacetylene-containing polyamides and polyesters 169
Fomine S see Fomina L
Fuller RC see Scholz C
Furtado CRG, Nunes RCR, Siqueira Filho AS de: SBR-mica-silica compositions and their physicomechanical behaviour 627

Galland GB, Mauler RS, Menezes SC de, Quijada R: ^{13}C-NMR study of ethylene/1-hexene and ethylene/1-octene copolymers obtained using homogeneous catalysts 599
Galli G see Serhatli IE
Galli G see Wang SH
Gandini A see Trejo-O'Reilly JA
Gans C see Valiyaveettil S
Gao B, Kops J: Synthesis of tri-block copolymer based on polyisobutylene and poly(ethylene glycol) 279
Gau JH see Chu HH
Gaviño R see Tlenkopatchev MA
Gereke R see Valiyaveettil S
Gonçalves MCM see Santa Maria LC de
Graillat C see McKenna TF
Granier-Azema D see Boutevin B
Grubišić-Gallot Z see Valić S
Guaita M see Chiantore O
Guilbert M see Boutevin B
Guillot J see McKenna TF
Guimarães PIC, Monteiro AP: Spontaneous copolymerization of 2-phenyl-2-oxazoline with cyclic carboxylic anhydrides 393
Gunning AP, Kirby AR, Morris VJ, Wells B, Brooker BE: Imaging bacterial polysaccharides by AFM 615
Guo H, Tapsak MA, Weber WP: Ruthenium catalyzed regioselective copolymerization of anthrone, fluorenone, or xanthone with α,ω-dienes 49
Guyot A, Vidal F: Inifer surfactants in emulsion polymerization 569
Guzmán J, Riande E: Synthesis and polymerization of unsaturated monomers with OH groups in their structure: 2-(hydroxyethyleneoxyterephthaloyloxy) ethyl acrylate 509

Ha CS see Kim Y
Haack V, Klemm E: Synthesis of photodegradable polymers by SH-En polyaddition 155
Häussler L see Rillich M
Hayakawa M see Mitani M
He J see Yan Q
He L, Zhang S, Jin S, Qi Z: In-situ photopolymerization of an oriented chiral liquid crystal acrylate in an electric field 7
Helfer CA, Sun JS, Matties MA, Mattice WL, Hemingway RW, Steynberg JP, Kelly LA: Implications of the fluorescence for the conformational analysis of polymeric profisetinidins and procyanidins 79
Hemais CA: Eloisa Biasotto Mano 501
Hemingway RW see Helfer CA
Higashimura T see Nakano M
Hill DJT see Dong L
Ho BC see Yang SY
Holler P see Toman L
Huang P see Zhou G
Huang Y, Jiang SH, Shen JR: Molecular structure and cholesteric liquid crystalline behavior of ethyl-cyanoethyl cellulose 203
Huckerby TN see Bevington JC
Hwang DH see Shim HK

Jawhari T, Merino JC, Pastor JM: Damage of polymers studied by micro-Fourier Transform Raman spectroscopy 71
Jehnichen D see Rillich M
Jenekhe SA see Chen WC
Jenkins DK see Wilson DJ
Jiang SH see Huang Y
Jin S see He L
Johnson RA see Mathias LJ
Jones R see Bevington JC

Kaczmarek H: Accelerated photodegradation of *cis*-1,4-polybutadiene in the presence of hydrogen peroxide 211
Kanetaka S see Miyamoto M
Kausch HH see Koster C
Kelly LA see Helfer CA

Kennedy JP see Blezer R
Keszler B see Blezer R
Khamlichi M see Boutevin B
Kim CY see Cho HN
Kim K, Ryou JH, Kim Y, Ree M, Chang T: Thermal imidization behavior of aromatic poly(amic dialkyl ester) precursors derived from biphenyltetracarboxylic dianhydride 219
Kim SH see Cho HN
Kim Y, Ree M, Chang T, Ha CS: Synthesis, miscibility, and properties of rodlike/flexible polymer composites via in-situ rod chain formation 175
Kim Y see Kim K
Kirby AR see Gunning AP
Klapper M see Valiyaveettil S
Klemm E see Haack V
Kobayashi H see Aoki T
Koivumäki J: Copolymerization of ethylene and 1-octadecene with the Cp_2ZrCl_2/MAO and Cp_2HfCl_2/MAO catalyst systems 413
Kops J see Gao B
Korshak YV see Tlenkopatchev MA
Koßmehl G, Lundt B: Alkoxy-substituted liquid-crystalline aromatic copolyesters. 4. Synthesis and properties of main chain copolyesters derived from 2,5-bis(pentyloxy)terephthaloyl dichloride and *trans*-1,4-dihydroxy-cyclohexane 503
Koster C, Altstädt V, Kausch HH, Cantwell WJ: Split rate fatigue propagation in polymer blends 243
Küçükyavuz S and Z see Nugay N

La Guardia C de see Martínez R
Laguitton B, Mison P, Pascal T, Sillion B: Thermal isomerization studies of the two lowest molecular weight components of a nadimide end-capped thermoset 425
Lange P see Miyamoto M
Laschewsky A see Anton P
Lazzari M see Chiantore O
Lee JI see Shim HK
Lenz RW see Scholz C
Levesque G see Bonnans-Plaisance C
Lezcano EG, Salom C, Masegosa RM, Prolongo MG: Polymer-solvent interaction parameter for poly(4-hydroxystyrene) by IGC 677
Li KT: Oxidative polymerization of 2,6-dimethylphenol catalyzed by copper-mixed amine system 419
Likhatchev D, Alexandrova L, Salcedo R, Ogawa T: Topochemical polymerization of butadiynylene dibenzamides 149
Lindén LÅ see Wrzyszczynski A
Lindhout T see Blezer R
Lochmann L see Vlček P
Lopes L, Andrade CT, Milas M, Rinaudo M: Influence of aggregates on the sedimentation properties of welan gum 655
Lu Y, Wang Y, Xue G: Crystallization of poly(vinylidene fluoride) by freeze-extracting method 317
Lucas EF, Oliveira CMF: Solution behavior of graft copolymers of poly(methylmethacrylate) backbone and poly(propylene oxide-*b*-ethylene oxide) branches: effects of structure and composition 649
Lukáš R see Toman L
Lundt B see Koßmehl G

Madec PJ see Borgés-Lopés E
Mano EB see Azuma C
Maréchal E see Borgés-Lopés E
Marin M, Baños L, Moreno A, Burillo G, Ogawa T: Studies on salts of amine-containing polymers with benzoic acids. II. Poly(*N,N'*-dimethylaminoethylmethacrylate) with alkoxybenzylideneaminobenzoic acids 227
Martínez R, Álvarez R, La Guardia C de: The effect of temperature and solvent on the polymerization of 2-propenylfuran 57
Masegosa RM see Lezcano EG
Masuda T see Nakano M
Mathias LJ, Cei G, Johnson RA, Yoneyama M: Poly(thioether imide)s via chloro-displacement polymerization 287
Mattice WL see Helfer CA
Mattice WL see Matties MA
Matties MA, Mattice WL: Photophysical models of aromatic polyesters: excited state interactions in bis(phenalkyl)terephthalates 369
Matties MA see Helfer CA
Mauler RS see Galland GB
McKenna TF, Graillat C, Guillot J: Contributions to defining the rate constants for the homo- and copolymerisation of butyl acrylate and vinyl acetate 361
Menezes SC de see Galland GB
Merino JC see Jawhari T
Metref F, Djadoun S: Miscibility of poly(α-methyl styrene-*co*-methacrylic acid) with alkyl methacrylate-*co*-4-vinylpyridine copolymers 485
Milas M see Lopes L
Miranda E see Tlenkopatchev MA
Mison P see Laguitton B
Mitani M, Oouchi K, Hayakawa M, Yamada T, Mukaiyama T: Mono-aryloxy or mono-alkoxy zirconium complexes/methylaluminoxane catalyst system in ethylene polymerization 199
Miyamoto M, Lange P, Kanetaka S, Saegusa T: Nucleophilic vinyl polymerization of 2-alkenyl-2-oxazolines activated by trimethylsilyl trifluoromethanesulfonate 249
Monteiro AP see Guimarães PIC
Moreno A see Marin M
Morris VJ see Gunning AP
Mothé CG see Azuma C
Mukaiyama T see Mitani M

Mülhaupt R see Demharter S
Mülhaupt R see Wörner C
Müllen K see Valiyaveettil S
Müller P see Wörner C

Nakano M, Masuda T, Higashimura T: Homo- and copolymerizations of 3-(*N*-carbazolyl)-1-propyne and its homologues by Mo and W catalysts 191
Nugay N, Küçükyavuz S, Küçükyavuz Z: Thermal stability of conductive charge transfer complexes of poly(4-vinylpyridine)-poly(dimethylsiloxane) block copolymers 345
Nunes RCR see Furtado CRG

Ogawa T see Fomina L
Ogawa T see Fomine S
Ogawa T see Likhatchev D
Ogawa T see Marin M
Ogawa T see Tlenkopatchev MA
Oikawa E see Aoki T
Oliveira CMF see Lucas EF
Oouchi K see Mitani M
Otoupalová J see Vlček P

Pascal T see Laguitton B
Pastor JM see Jawhari T
Pereña JM see Benavente R
Pérez E see Benavente R
Piérola IF see Dorado AP
Pietrasanta Y see Boutevin B
Prolongo MG see Lezcano EG

Qi Z see He L
Qu X see Wrzyszczynski A
Quijada R see Galland GB

Rabek JF see Wrzyszczynski A
Rabelo D, Coutinho FMB, Barbosa CCR, Rezendo SM: Scanning electron microscopy of styrene-divinylbenzene copolymers. II. Surface and bulk morphology 621
Rakvin B see Valić S
Rao DVGLN see Fomine S
Ree M see Kim K
Ree M see Kim Y
Reis Nunes RC see Sena Affonso JE de
Rétif P see Bonnans-Plaisance C
Rezendo SM see Rabelo D
Riande E see Guzmán J
Richtering W see Demharter S
Rillich M, Häussler L, Jehnichen D, Böhme F: Polymers containing formamidine groups. 3. Synthesis and properties of aromatic polyformamidines 43
Rinaudo M see Lopes L
Robin JJ see Boutevin B
Rodríguez MB see Cárdenas GT
Rousseau A see Boutevin B
Rudolf B, Schneider HA, Cantow H-J: Pressure-volume-temperature behaviour of molten polymers. Solubility parameters in the view of Prigogine-Flory and Sanchez-Lacombe EOS-theories 109
Ryou JH see Kim K

Saegusa T see Miyamoto M
Salcedo R see Likhatchev D
Salom C see Lezcano EG
Santa Maria LC de, Coutinho FMB, Dias ML, Gonçalves MCM: Ethylene polymerization with heterogeneous Ziegler-Natta catalysts 563
Schauer K, Wilke W: Wide-angle X-ray scattering studies on polyethylene at low temperatures 477
Schneider HA see Rudolf B
Scholz C, Fuller RC, Lenz RW: Growth behavior of *Bacillus thuringiensis* and production of poly-(3-hydroxyalkanoates) on different organic substrates 577
Sena Affonso JE de, Reis Nunes RC: Influence of the filler and monomer quantities in the rheometrical behaviour and crosslink density of the NBR-cellulose II composites 669
Sena ME, Andrade CT: Properties of heteroaromatic polymers for gas separation 643
Serhatli IE, Galli G, Yagci Y, Chiellini E: Synthesis of hybrid liquid crystalline block copolymers by combination of cationic or promoted cationic and free-radical polymerizations 539
Shen JR see Huang Y
Shim HK, Yoon CB, Lee JI, Hwang DH: Synthesis, electroconductivity and third-order nonlinear optical property of poly(2-isopropoxy-5-methoxy-1,4-phenylenevinylene) 161
Sillion B see Laguitton B
Siqueira Filho AS de see Furtado CRG
Spěváček J see Toman L
Spěváček J, Toman L, Vlček P: ^{13}C NMR characterization of unsaturated terminal structures in oligoisobutylenes 461
Stejko L see Azuma C
Steynberg JP see Helfer CA
Sun JS see Helfer CA
Szosland L see Wrzyszczynski A

Tapsak MA see Guo H
Tlenkopatchev MA, Korshak YV, Miranda E, Ogawa T: Copolymerization of 2,4-dichlorophenylacetylene with disubstituted acetylenes by metathesis catalysts 405
Tlenkopatchev MA, Miranda E, Canseco MA, Gaviño R, Ogawa T: Synthesis of a polynorbornene containing 3,5-di-*tert*-butyl-4-hydroxybenzoyl group 385
Toman L, Lukáš R, Spěváček J, Holler P: Effect of PVC on low-polar isobutylene polymerization in the presence of BCl_3 183
Toman L see Spěváček J

Trejo-O'Reilly JA, Cavaillé JY, Gandini A: Cationic copolymerization involving NCO-bearing monomers and reaction of the ensuing materials with the superficial hydroxy groups of cellulosic fibres 265
Trumbo DL: An analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(2-methyl-*N*-vinyl imidazole) 455
Trumbo DL: Copolymerization behavior of 2-vinyl-5-methyl furan 399
Trumbo DL: Copolymerization of 2-methacryl-oxytropone with methyl methacrylate and ethyl acrylate 27
Trumbo DL: Copolymerization of 3-methyl-2-vinylthiophene with methyl methacrylate and ethyl acrylate 21
Trumbo DL: Preliminary analysis of the ^{13}C-NMR spectrum of poly(3-vinyl furan) 449
Tseng TW see Yang SY

Valić S, Rakvin B, Veksli Z, Grubišić-Gallot Z: Slow molecular motion in uniaxially stretched poly(ethyl methacrylate) as observed by double modulation electron spin resonance 235
Valiyaveettil S, Gans C, Klapper M, Gereke R, Müllen K: Synthesis and structural study of poly(isophthalamide)s 13
Veksli Z see Valić S
Vidal F see Guyot A
Visconte LLY see Azuma C
Vlček P, Dvořánek L, Otoupalová J, Lochmann L: Anionic polymerization of acrylates. 9. Lithium 3-methylpentoxide-3, an efficient active-center stabilizer in the anionic polymerization of 2-ethylhexyl and butyl acrylates 1
Vlček P see Spěváček J

Wang SH, Coutinho FMB, Galli G, Chiellini E: Synthesis and characterization of polystyrene-polyester liquid crystalline block copolymers 531
Wang Y see Lu Y
Ward MD see Anton P
Weber WP see Guo H
Wells B see Gunning AP
Wilke W see Schauer K
Williams RJJ see Fasce DP
Wilson DJ, Jenkins DK: Butadiene polymerisation using ternary neodymium-based catalyst systems. The effect of Nd:halide ratio and halide type 257
Wörner C, Müller P, Mülhaupt R: Thermal polymerization and reactive blending of 2-(4-hydroxyphenyl)-1,3-oxazoline 301
Wrzyszczynski A, Qu X, Szosland L, Adamczak E, Lindén LÅ, Rabek JF: Blends of poly(ethylene oxide) with chitosane acetate salt and with dibuturylchitin: structure and morphology 493

Xue G see Lu Y

Yagci Y see Serhatli IE
Yamada T see Mitani M
Yan Q, He J: Segmented liquid crystalline copolyesters and blending with poly(ethylene terephthalate) 441
Yang SY, Chang YH, Ho BC, Chen WC, Tseng TW: A novel method for preparing gradient index (GI) plastic rods. Initiator diffusion technique 87
Yoneyama M see Mathias LJ
Yoon CB see Shim HK

Zemer MC see Butler GB
Zhang S see He L
Zhou G, Huang P, Zhu H: A novel free radical interfacial copolymerization 295
Zhu H see Zhou G

Indexed in *Current Contents*

Subject Index Volume 34 (1995)

Acetan 615
Acetophenones, monomeric *ortho*-alkyl substituted 49
Acrylamide 295
Acrylates, anionic polymerization 1
-, LC, chiral 7
Acrylic acid 203, 509
Acrylic esters, controlled polymerization 1
Acrylonitrile 585, 593, 669
4-Acryloyloxy-undecanoxy-4'-[S(-)-2-methylbutyl-oxy]-biphenyl 7
AES resins 353
AFM, bacterial polysaccharides 615
AIBN 31
Alcoxybenzylideneaminobenzoic acids 227
Alka-3-5-dinylmethacrylates 547
2-Alkenyl-2-oxazolines 249
Alkoxide 1
Alkoxy zirconium catalyst systems 199
Alkyl methacrylate-*co*-4-vinylpyridine 485
N-Alkyl-*N'*-methyl-semicarbazones 691
Alkylaluminum compounds 563
Amide solvents 585, 593
Amine-containing polymers, benzoic acids 227
4-Aminobenzoic acid 301
Amphiphiles, carbohydrate-based 691
Amphiphilic networks, thromboresistance 101
- polymers 279
Anthranilic acid 377
Anthrone 49
Atomic force microscopy (AFM) 615
4,4'-Azo-bis(4-cyanopentanoyl chloride) 531
Azo-macroinitiators 531, 539
Azomethine-siloxane liquid crystal macrocycles, methyl-substituted 523

Bacillus thuringiensis 577
Bacterial polysaccharides, AFM 615
Benzoic acids, thermal behavior 227
Benzoyl peroxide 37
Biopolymers 493
Biphenyl mesogenic groups 539
Biphenyltetracarboxylic dianhydride 219
1,4-Bis(4-aminobenzoyloxy)butane 43
Bis[2-(4-aminobenzoyloxy)ethyl]-ether 43
Bismaleimides, aromatic diamines 515
N,N'-Bismaleimido-4,4'diphenylmethane 155
1,2-Bis(2-mercaptoethoxy)ethane 155
1,8-Bis(methacryloxy)octa-3,5-diyne 547
2,5-Bis(pentyloxy)terephthaloyl dichloride 503
Bis(phenalkyl)terephthalates 369
Blood coagulation activation 101
Brazilian muscovite mica 627
Butadiene polymerization, ternary neodymium-based catalysts 257
-/acrylonitrile 669
Butadiynylene dibenzamides 149
Butanediol 117
n-Butylamine/dibutylamine, copper-mixed 419
Butyl acrylate 361
- -, anionic polymerization 1
α-*tert*-Butyl-ω-chloropolyisobutylenes 183
t-Butyl hydroperoxide 569
n-Butyl methacrylate 295
2-*tert*-Butyl-4-metoxyphenol 555

3-(*N*-Carbazolyl)-1-propyne 191
Carbohydrate-based amphiphiles 691
Carboxylic anhydrides, cyclic 393
Castor oil 663
Catalyst modifier 563
Catechin 79
Cellulose 493
- derivatives 203
Cellulose II 669
Cellulosic fibres, superficial hydroxy groups 265
Chiral LC side-chain polymers (CLCSP) 7
Chitin 493
Chitosane acetate salt 493
Chloromethylstyrene 309
Chromatography, inverse gas 677
-, size exclusion 235, 585, 593
Chromophores 605
Cinnamate group, photocrosslinkable 309
Cinnamic acid 663
Copolyamides 169
Copolyesters, alkoxy-substituted liquid-crystalline aromatic 503
-, liquid crystalline 441
-, main chain 503
Copper-mixed amine complex 419
Cp_2HfCl_2/MAO 413
Cp_2ZrCl_2/MAO 413
Crack extension 243
Cyclohexene oxide 539
Cyclohexyl methacrylate, emulsion polymerization 433

DA complexes 685
Damage, polymers 71
Diacetylenes 149, 169
Diacetylenic vinyl compounds 547
Dialkylbenzene 605
Diallyl succinate 155
Diamines, aliphatic 43
1,3-Diaminobenzene 13
2,6-Diaminopyridine 13
1,4-Diazabicyclo [2.2.2]octan 555
Dibuturylchitin 493
Di-*n*-butyl ether 555
5-{[(3,5-Di-*t*-butyl-4-hydroxybenzoyl)oxy]methyl}-2-norbornene 385
2,6-Dibutyl-4-methylphenol 555
4,4'-Dicarboxy-1,10-dibenzoyloxydecane 531
α,ω-Dienes 49

2,4-Dichlorophenylacetylene, disubstituted acetylenes 405
Diethyl dipropargylmalonate 125
Diethylene glycol 377
Di(2-ethylhexyl) phosphoric acid 621
1,2-Diethynylbenzene 125
4,4'-Difluorostilbene 37
trans-1,4-Dihydroxy-cyclohexane 503
4,4'-Dihydroxybiphenyl 503
Dimethacrylate 547
N,N-Dimethylformamide 585, 593
2,6-Dimethylphenol 419
4,4-Dimethyl-2-vinyl-2-oxazoline 249
Divinylbenzene 605
1,3-Divinyltetramethyldisiloxane 49
Double modulation ESR 235
Drug release 337
Dual functional monomers 301

Electrochemical quartz crystal microbalance 331
Emulphogene BC-840 433
Emulsifiers 117
En-compound 155
Enhanced oil recovery 295
Epicatechin 79
Ester enolates 1
Ethanol-permselective membrane 133
Ethyl acrylate, bulk 21
Ethyl-cyanoethyl cellulose 203
Ethylene/1-hexene, ^{13}C-NMR 599
-/1-octadecene 413
-/1-octene, ^{13}C-NMR 599
- polymerization, heterogeneous Ziegler-Natta catalysts 563
- polymers, mobility of additives 93
-/propylene/diene 353
Ethylene glycol 377
Ethylene oxide/propylene oxide 649
2-Ethylhexyl, anionic polymerization 1

Fatigue striations 243
Fillers, mineral 627
Fisetinidol 79
Fluorenone 49
Fluorobenzene 37
Formamidine groups 43
Fourier Transform Raman 71
Free radical interfacial copolymerization 295
Freeze-extracting method 317
FTIR 265

Gas separation, heteroaromatic polymers 643
Gellan 615, 655
Glucamide surface 691
Glycol, aliphatic-aromatic 509
Glycol (bis[2-hydroxyethyl]terephthalate) 509
Gradient index (GI) plastic rods 87
Graft copolymers 649
Gums, microbial 655

Hafnocene 413
3-Heptyne 405
Hybrid liquid crystalline block copolymers 539
α-Hydroxy-ω-phenyl-*n*-alkanes 369
4-Hydroxybenzoic acid 301
2-(Hydroxyethyleneoxyterephthaloyloxy) ethyl acrylate 509
3-Hydroxyheptanoate 577
3-Hydroxynonanoate 577
2-(4-Hydroxyphenyl)-1,3-oxazoline 301

IGC 677
Imidization 219
Inifer surfactants, emulsion polymerization 569
Insecticide producer, *Bacillus thuringiensis* 577
Interfacial copolymerization, free radical 295
Interfacial-gel copolymerization 87
Inverse gas chromatography 677
Isobutylene polymerization, low-polar 183
- -, PVC 183
Isophthalamides, 5-alkoxy substituted 13
Isophthaloylchlorides 13
3-Isopropenyl-α,α'-dimethylbenzyl isocyanate 265
Isopropenylbenzene 265
2-Isopropenyl-4,4-dimethyl-2-oxazoline 249
Isopropenyl-2-oxazoline 249

LC acrylate 539
- block copolymers, hybrid 539
- polyester blocks 531
- polymers 7, 635
LC, polystyrene blocks 531
Lewis bases, hindered 555
Linear low density polyethylene 599
Liquid crystal acrylate, chiral 7
- - macrocycles 523
Liquid crystalline block copolymers, hybrid 539
Lithium 3-methylpentoxide-3 1
Local molecular arrangements, amorphous polymers 235
Luminescence 369

Maleic anhydride 309, 377
4,4'-(*N*-Maleimido)diphenyliodoniumchloride 155
Maltose 691
Maltotriose 691
Mano, Eloisa Biasotto 501
Mark-Houwink-Sakurada parameters 593
2-Mercaptoethyl sulfide 287
Metal poly(styrene-*co*-acrylonitrile) 31
Metal colloids 31
- polymers 31
Metallocenes 199, 413
Metathesis catalysts 405
Methacrylates, aliphatic DA-containing 547
Methacrylic monomers, controlled polymerization 1
Methacrylonitrile 323
2-Methacryloxytropone 27
3-Methyl-2-vinylthiophene 21

Methylaluminoxane 199
4,4'-Methylene dianiline bis-5-norbornene-2,3-dicarboxamide 425
Methylhydroquinone 531
3-Methylthiophene-2-carboxaldehyde 21
Methyl ethyl ketone 621
Methyl methacrylate 37
- -/ethyl acrylate 21, 27
Methyl vinyl ether 685
Michael addition 515
Microbial polysaccharides 655
Mineral fillers 627
$MoCl_5$-based catalyst 125
Molten polymers 109
Molybdenum alkylidene complexes 125
Mono-alkoxy zirconium complexes/methylaluminoxane 199
Mono-aryloxy zirconium complexes 199
Monomers, unsaturated 509
Muscovite mica Brazilian 627

Nadic acid-ester 425
Nadimide end-capped thermoset 425
NBR-cellulose II composites 669
NCO-bearing monomers 265
Nd-based catalysts 257
Near infrared Fourier Transform Raman 71
Nematic liquid crystal particles 227
Neodymium-based catalysts, butadiene polymerization 257
Networks, amphiphilic 101
NIR-FT-Raman 71
Nitrilic latex/cellulose xanthate 669
NLO 547
- chromophores 309
Nylon-12, Newtonian viscosity 469

3,5-Octadiynylene-1,8-dimethyacrylate 547
Oil recovery, enhanced 295
α-Olefins 599
Oligobenzhydrol-imide nadimide end-capped thermoset 425
Oligoisobutylenes, unsaturated terminal structures, ^{13}C-NMR 461
Osmium-based catalysts 385
Oxygen permeability 133
Oxygen-permselective membrane 133

PαSAN/PMMA 243
Palmitoyl(3-carboxy propionyl) sebacoyl diperoxide 295
Perfluoroalkyloxydimethylsilyl 133
Phenoxy titanium complexes 199
4,4'-[1,3-Phenylene bis(1-methylethylidene)] bisaniline) 515
N-Phenylmaleimide 685
2-Phenyl-1,3-oxazoline 301
2-Phenyl-2-oxazoline, cyclic carboxylic anhydrides 393
4-Phenyl-1,2,4-triazoline-3,5-dione 685
Photoconductivity 191
Photodegradable polymers 155
Photooxidative degradation 211
Photosensitive polymers 663
Plastic rods, gradient index 87
Platelet adhesion 101
Poly(alkyl methacrylate-*co*-4-vinylpyridine) 485
Poly(amic acid)s 175, 219
Poly(amic diethyl ester) 175, 219
Poly(4,4'-biphenyldiyl)terephthalate 503
Poly(*n*-butyl methacrylate) 485
Poly(cyclohexene oxide) 539
Poly(1,8-diethynylnaphthalene) 125
Poly(*N,N'*-dimethylaminoethylmethacrylate) 227
Poly(*N,N*-dimethylacrylamide) 101
Poly(2,5-dimethoxy-1,4-phenylenevinylene) 161
Poly(4,4'-diphenylamine methylenes) 63
Poly(4,4'-diphenylimine methines) 63
Poly(ethyl methacrylate) 235, 485
Poly(ethylene glycol) 279
Poly(ethylene oxide) 101, 141, 593
- macromonomers 141
-/chitosane acetate salt 493
Poly(ethylene terephthalate) 369, 441
Poly(3-hydroxyalkanoates) 577
Poly(4-hydroxystyrene), IGC 677
Poly(isophthalamide)s 13
Poly(2-isopropoxy-5-methoxy-1,4-phenylenevinylene) 161
Poly(methacrylonitrile) 323
Poly(methyl methacrylate) 485, 649
Poly(α-methyl styrene-*co*-methacrylic acid) 485
Poly(2-methyl-*N*-vinyl imidazole), NMR 455
Poly(4,4'-oxydiphenylene biphenyltetracarboximide) 175, 219
Poly(*N*-vinyl carbazole) 191
Poly(*p*-phenylene biphenyltetracarboximide) 175, 219
Poly(*m*-phenylene isophthalamide) 13
Poly(*p*-phenylene terephthalamide) 13
Poly(1,4-phenylene vinylene) 161
Poly(propylene oxide-*b*-ethylene oxide) 649
Poly(styrene-*co*-acrylonitrile) 31
Poly(substituted acetylene)s, oxygen-permselective 133
Poly(*p*-substituted phenylacetylene) 133
Poly(thioether imide)s, chloro-displacement 287
Poly(triethylene glycol *p,p'*-bibenzoate) 635
Poly(vinyl chloride) 101
Poly(3-vinyl furan), ^{13}C-NMR 441
Poly(vinylidene fluoride), crystallization 317
Poly(4-vinylpyridine)/poly(dimethylsiloxane) 345
Polyacetylenes 125, 191
Polyacrylonitrile 585, 593
Polyalkenamers 385
Polyalkyl terephthalate/polyolefin blends 117
Polyamides 13, 175
Polyamides, polydiacetylene-containing 169
Polyaniline derivatives 63
Polyaramides 13
Polyblends 493
cis-1,4-Polybutadiene, photodegradation 211
Polycarboxylic acid 337

Polycondensation, bismaleimides/aromatic diamines 515
Polydiacetylenes 149, 169, 547
Polydimethylsiloxane-*block*-polyazomethine 523
Polyelectrolytes, polysaccharide 337
Polyester resins, novel unsaturated 377
Polyesters 635
-, polydiacetylene-containing 169
Polyethylacrylate networks, knots 605
Polyethylene 101
-, linear low density 599
-, wide-angle X-ray scattering 477
Polyethylene terephthalate 71
Polyformamidines, aromatic 43
Poly-3-hydroxybutyrate 577
Poly-ß-hydroxyalkanoates 577
Polyimides, high temperature 219
-, thioether containing 287
Polyisobutylene 279
Polyisoprenes 117
Polymer composites, rodlike/flexible 175
Polymer-solvent interactions 677
Polymethylmethacrylate 605
Polynadimide network 425
Polynorbomene 385
Polyoxadiazole, aromatic 643
Polyphenols 79
Polyphenylene oxide 419
Polypropenylfuran 57
Polysaccharide, microbial non-ionic 337
Polysaccharides 691
-, bacterial 615, 655
Polysoaps, redox-switching 331
Polysters, aromatic 369
Polystyrene latex 691
-/polyester LC block copolymers 531
Polytetrahydrofuran 539
Polythiiranes, functional 141
Polytriazole membranes 643
Polyurethanes 101
-, photosensitive 663
Pressure-volume-temperature 109
Prigogine-Flory theory 109
Procyanidins, polymeric 79
Profisetinidins, polymeric 79
1,3-Propanedithiol 287
2-Propenylfuran 57
Propylene polymerization, $TiCl_3$ 555
Propylene oxide/ethylene oxide 649
Pseudomonas oleovorans 577
PVC, grafted with isobutylene 183
PVCILO 685

Rhamsan 655
Rubber compositions, SEM 627
Rubber-filler interaction 669
Ruthenium-based catalysts 385
- catalyzed regioselective copolymerization 49

Sanchez-Lacombe EOS-theory 109
SBR-mica-silica 627
Scleroglucan chains, oxidized 337
SEM, rubber compositions 627
Separation membranes 643
SH-En polyaddition 155
Size exclusion chromatography 235, 585, 593
Sodium dodecyl sulfate 433
Split rate fatigue propagation 243
Split rate crack velocity 243
Stabilization energies 685
Stereospecific polymerization 555
Stilbenes, ring-fluorinated 37
Stress-strain plots 635
Styrene, emulsion polymerization 569, 691
Styrene/acrylonitrile 353
-/butadiene rubber 627
-/divinylbenzene copolymers, SEM 621
-/methacrylonitrile, FTIR 323
Styrene-*co*-acrylonitrile colloids 31
Surfactants 433
-, thiol-ended non-basic 569

Tannins, condensed 79
Terephthaloyl chloride 117
Tetracyanoquinodimethane 345
Tetraethylene glycol 377
Tetrahydrofuran 539, 563, 649
Tetramethyl ammonium dithiobenzoate 141
3,3,6,6-Tetramethyl-3,6-disila-1,7-octadiene 49
2,2,6,6-Tetramethylpiperidine 555
Thiirane, polymerizable 141
Thiol-ended non-basic surfactants 569
Third harmonic generation 161
Thromboresistance, amphiphilic networks 101
$TiCl_3$ 555
Transimination 523
Transition metal catalysts 125
Triazine 43
Triazolinediones, 4-substituted 685
Tributylamine 155, 555
Triethyl orthoformate 43
Trimethylsilyl trifluoromethanesulfonate 249

Vinyl acetate 361
Vinyl chloride/2-chloropropene 183
Vinyl heterocycles 21, 455
Vinyl polymerization, nucleophilic 249
2-Vinyl-5-methyl furan 399
Viologen polysoaps 331

Welan gum 655
Wide-angle X-ray scattering, polyethylene 477

Xanthan 615
Xanthone 49

Zero shear viscosity 469
Ziegler-Natta catalysts, α-olefins 563
Zirconocene 413